


量規類 GAUGES



ISO / IEC 17025

www.metrology.com.tw



DIN EN ISO 9001

台灣黑馬牌 量儀專家 METROLOGY®


量規類 GAUGES



ISO /IEC 17025



DIN EN ISO 9001



www.metrology.com.tw

台灣黑馬牌 量儀專家 METROLOGY®

◇ 電子式外徑快測規 Electronic Digit Outside Snap Gauge

型號 Model No.	量測範圍 Measuring Range	解析度 Resolution	價格 Price (NT\$)	
ES-9001 ES-9002	0-12mm/0.5" 0-25mm/1"	0.01mm/0.0005"	6,400 9,300	

備註:測量紙張、薄膜、線材、金屬薄板、珠寶、皮革等材料的厚度

Remark:For Measuring Thickness of Paper, Film, Wire, Sheet Metal, Jewel, Leather and Similar aterials.

◇ 電子式單寬面量規 Electronic Digit Single Wide Face Gauge

型號 Model No.	量測範圍 Measuring Range	解析度 Resolution	價格 Price (NT\$)	備註 Remark
ES-9000SW	0-30mm	0.01mm/0.0005"	5,600	寬測量面寬度 Wide Measuring Face Width: 12mm



◇ 電子式三用量規 Electronic Digit 3-use Gauge

型號 Model No.	量測範圍 Measuring Range	解析度 Resolution	價格 Price (NT\$)	備註 Remark
ES-9000TU	0-25mm	0.01mm/0.0005"	7,600	測量小型工件外徑、內徑、外溝 槽直徑之尺寸 For Measuring Outside, Inside, Outside Groove Dia Dimensions of Small Workpieces.

◇ 電子式焊接量規 Electronic Digit Welding Gauge

型號 Model No.	量測範圍 Measuring Range	解析度 Resolution	價格 Price (NT\$)	備註 Remark
ES-9000WD	0-12.5mm	0.01mm/0.0005"	5,000	測量焊接點之厚度、高度 For Measuring Height & Thickness of Welder

◇ 氣泡式水平儀 Spirit Level

 <p>LE-9300H</p>	型號 Model No.	量測範圍 Measuring Range	最小讀數 Graduation	價格 Price (NT\$)	備註 Remark	 <p>LE-9200S</p>
	LE-9150H	L: 150mm	0.02mm/M	7,400	橫式 Horizontal Type	
	LE-9200H	L: 200mm		8,600		
	LE-9300H	L: 300mm		10,000		
	LE-9150S	L: 150*150mm	0.02mm/M	9,000	框型 Square Type	
	LE-9200S	L: 200*200mm		10,000		
LE-9300S	L: 300*300mm	16,000				

◇ 萬能角度規 Universal Bevel Protractor



型號 Model No.	量測範圍 Measuring Range	最小讀數 Graduation	價格 Price (NT\$)	備註 Remark
UA-9000	4*90°	5'	4,800	刻劃式 含 6"和 12"長量尺、銳角副尺各一 Vernier Type With 6" & 12" Length Blade and Acute Angle Attachment.
UA-9000D			6,600	附表式 含 6"和 12"長量尺、銳角副尺各一 Dial Type With 6" & 12" Length Blade and Acute Angle Attachment.
UA-9000E	±360°	1'	30,600	電子式 Electronic Digit Type

◇ 外徑快測比較儀 Outside Snap Comparator



型號 Model No.	量測範圍 Measuring Range	最小讀數 Graduation	價格 Price (NT\$)	備註 Remark
SC-9001M	0-25mm	0.01mm 附量表 (With Dial Gauge)	9,600	測微器頭最小讀數: 0.01mm Micrometer Head Graduation: 0.01mm
SC-9002M	25-50mm		10,500	
SC-9003M	50-75mm		11,000	
SC-9004M	75-100mm		11,500	
SC-9005M	100-125mm		12,000	
SC-9006M	125-150mm		13,000	
SC-9007M	150-175mm		14,000	

◇ 外徑快測比較儀(長行程) **Outside Snap Comparator (Long Travel)**



型號 Model No.	量測範圍 Measuring Range	最小讀數 Graduation	價格 Price (NT\$)	備註 Remark
SC-9000L	0-50mm	量表(另購)	8,000	
SC-9050L	50-100mm	Dial Gauge	10,000	
SC-9100L	100-150mm	(Optional)	12,000	
SC-9150L	150-200mm		14,000	

◇ 外徑快測比較儀(萬能式) **Outside Snap Comparator (Universal)**



型號 Model No.	量測範圍 Measuring Range	最小讀數 Graduation	價格 Price (NT\$)	另購測砧 Interchangeable Anvil (Optional)
SC-9000U	0-40mm	量表(另購)	11,000	1. 萬能式測砧 Universal Anvils
SC-9040U	40-90mm	Dial Gauge	13,000	2. 公制螺紋 60 V Type Anvils
SC-9090U	90-140mm	(Optional)	15,000	3. 惠氏螺紋 55 Withworth Anvils
SC-9140U	140-190mm		17,000	4. 球型測砧 Ball-tip Anvils

◇ 螺紋節徑比較儀 **Thread Pitch Diameter Comparator**



型號 Model No.	量測範圍 Measuring Range	最小讀數 Graduation	價格 Price (NT\$)	備註 Remark
PD-9001	2-30mm	0.01mm	31,000	附 60 V 型測砧, 55 惠氏螺紋(另購) With 60 V Type Anvils, 55 Withworth Anvils(Optional)
PD-9002	30-70mm		34,000	

◇ 螺紋長度測定儀 **Thread Length Measuring Gauge**



型號 Model No.	量測範圍 Measuring Range	最小讀數 Graduation	價格 Price (NT\$)	備註 Remark
TL-9000	0-100mm	0.01mm /0.0005"	24,000	附 0-50mm 電子式量表 和 50mm 設定規 With 0-50mm Electronic Digital Dial Gauge & 50mm Setting Gauge

◇ 螺紋三線規 3-wire Thread Gauge



型號 Model No.	規格 Specification			價格 Price (NT\$)
	公制 Metric Pitch	惠氏 Whitworth TPI	美制 US Std. TPI	
TW-0.170	0.25/0.30	60	80	11,000
TW-0.195				11,000
TW-0.220				11,000
TW-0.250				11,000
TW-0.290	0.45/0.50	48/40	56	11,000
TW-0.335				11,000
TW-0.390	0.70/0.75/0.80		40	11,000
TW-0.455				11,000
TW-0.530				11,000
TW-0.620	0.90	32/28	28	11,000
TW-0.725	1.0	26/24	24	11,000
TW-0.895	1.25	22/20/19	20	11,000
TW-1.100	1.50	18/16	18/16	11,000
TW-1.350	1.75	14	14/13	13,000
TW-1.650	2.0	12/11	12/11	13,000
TW-2.050	2.5	10/9	10/9	13,000
TW-2.550	3.0/3.50	8/7	8/7	13,000
TW-3.200	4.0/4.50	6	6	13,000
TW-9018S	5.0/5.50/6.0	5/4½	5/4½	13,000
TW-9018S 範圍 Range: 0.170-3.200mm 18 組/整套/(18pairs/sets)				190,000

備註 Remark: 有效徑 E: $M+0.866025p-3dm$

◇ 標準桿 Micrometer Standard Bar

型號 Model No.	長度 Length	價格 Price (NT\$)	型號 Model No.	長度 Length	價格 Price (NT\$)
SB-9050	50mm	440	SB-9450	450mm	1,660
SB-9075	75mm	460	SB-9475	475mm	1,800
SB-9100	100mm	500	SB-9500	500mm	1,980
SB-9125	125mm	540	SB-9525	525mm	2,140
SB-9150	150mm	600	SB-9575	575mm	2,460
SB-9175	175mm	660	SB-9625	625mm	2,800
SB-9200	200mm	700	SB-9675	675mm	3,120
SB-9225	225mm	760	SB-9725	725mm	3,460
SB-9250	250mm	820	SB-9775	775mm	3,800
SB-9275	275mm	860	SB-9825	825mm	4,120
SB-9300	300mm	920	SB-9875	875mm	4,460
SB-9325	325mm	1,000	SB-9925	925mm	5,200
SB-9350	350mm	1,100	SB-9975	975mm	5,900
SB-9375	375mm	1,200	SB-91050	1050mm	6,300
SB-9400	400mm	1,340	SB-91150	1150mm	6,800



◆ 塞規 Pin Gauge

型號 Model No.	量測範圍 Measuring Range	組數 Pieces/Sets	間隔 Step	價格 Price (NT\$)	備註 Remark
PG-9001	0.50-1.00mm	51	0.01mm	29,800	精度 Accuracy: ±0.002mm
PG-9002	1.01-2.50mm	150		53,800	
PG-9003	2.51-4.00mm	150		53,800	
PG-9004	4.01-5.50mm	150		53,800	
PG-9005	5.51-7.00mm	150		53,800	
PG-9006	7.01-8.50mm	150		54,500	
PG-9007	8.51-10.00mm	150		54,500	
PG-9008	10.01-11.00mm	100		36,000	
PG-9009	11.01-12.00mm	100		36,000	
PG-9010	12.01-13.00mm	100		53,800	
PG-9011	13.01-14.00mm	100		53,800	
PG-9012	14.01-15.00mm	100		55,200	
PG-9013	15.01-16.00mm	100		56,700	
PG-9014	0.2-0.5mm	31	0.01mm	19,600	精度 Accuracy: ±0.003mm
PG-9015	0.5-1.0mm	50		19,600	
PG-9016	1.0-1.5mm	50		14,400	
PG-9017	1.5-2.0mm	50		14,400	
PG-9018	2.0-2.5mm	50		14,400	
PG-9019	2.5-3.0mm	50		14,400	
PG-9020	3.0-3.5mm	50		14,400	
PG-9021	3.5-4.0mm	50		14,400	
PG-9022	4.0-4.5mm	50		14,400	
PG-9023	4.5-5.0mm	50		14,400	
PG-9024	5.0-5.5mm	50		14,400	
PG-9025	5.5-6.0mm	50		14,400	
PG-9026	6.0-6.5mm	50		18,500	
PG-9027	6.5-7.0mm	50		18,500	
PG-9028	7.0-7.5mm	50		23,000	
PG-9029	7.5-8.0mm	50		23,000	
PG-9030	8.0-8.5mm	50		2,400	
PG-9031	8.5-9.0mm	50		2,400	
PG-9032	9.0-9.5mm	50		2,400	
PG-9033	9.0-10.0mm	50		2,400	



◆ 標準環規 Master Ring Gauge

型號 Model No.	規格 Specification	價格 Price (NT\$)	型號 Model No.	規格 Specification	價格 Price (NT\$)
RG-4~5X	φ 4-5mm	7,200	RG-4~5XX	φ 4-5mm	9,200
RG-6~10X	φ 6-10mm	6,000	RG-6~10XX	φ 6-10mm	7,200
RG-11~20X	φ 11-20mm	4,000	RG-11~20XX	φ 11-20mm	5,200
RG-21~30X	φ 21-30mm	5,200	RG-21~30XX	φ 21-30mm	6,000
RG-31~40X	φ 31-40mm	5,200	RG-31~40XX	φ 31-40mm	7,200
RG-41~50X	φ 41-50mm	6,000	RG-41~50XX	φ 41-50mm	8,100
RG-51~60X	φ 51-60mm	6,000	RG-51~60XX	φ 51-60mm	8,100
RG-61~70X	φ 61-70mm	8,000	RG-61~70XX	φ 61-70mm	11,200
RG-71~80X	φ 71-80mm	8,000	RG-71~80XX	φ 71-80mm	11,200
RG-81~90X	φ 81-90mm	8,000	RG-81~90XX	φ 81-90mm	12,000
RG-91~100X	φ 91-100mm	8,000	RG-91~100XX	φ 91-100mm	12,000
RG-101~110X	φ 101-110mm	16,300	RG-101~110XX	φ 101-110mm	20,000
RG-111~120X	φ 111-120mm	20,000	RG-111~120XX	φ 111-120mm	25,000
RG-121~130X	φ 121-130mm	22,000	RG-121~130XX	φ 121-130mm	27,000
RG-131~140X	φ 131-140mm	23,400	RG-131~140XX	φ 131-140mm	30,000
RG-141~150X	φ 141-150mm	26,000	RG-141~150XX	φ 141-150mm	35,200
RG-151~160X	φ 151-160mm	30,600	RG-151~160XX	φ 151-160mm	39,400
RG-161~170X	φ 161-170mm	37,000	RG-161~170XX	φ 161-170mm	48,000
RG-171~180X	φ 171-180mm	43,000	RG-171~180XX	φ 171-180mm	55,200
RG-181~190X	φ 181-190mm	50,000	RG-181~190XX	φ 181-190mm	63,000
RG-191~200X	φ 191-200mm	54,600	RG-191~200XX	φ 191-200mm	70,000
RG-225X	φ 225mm	63,000			
RG-250X	φ 250mm	68,000			
RG-275X	φ 275mm	78,000			
RG-300X	φ 300mm	90,000			



等級: Class X

等級: C class XX

◇ 螺紋塞規/環規 Thread Plug/Ring Gauge



型號 Model No.	名稱 Name	規格 Specification	訂購範例 Example of Order
ITP-M*P	ISO 公制螺紋塞規 ISO Metric Thread Plug Gauge	M2~M100	ITP-M10*1.0 6H
ITR-M*P	ISO 公制螺紋環規 ISO Metric Thread Ring Gauge		ITR-M10*1.0 6g
JTP-M*P	JIS 公制螺紋塞規 JIS Metric Thread Plug Gauge		JTP-M10*1.0
JTR-M*P	JIS 公制螺紋環規 JIS Metric Thread Ring Gauge		JTR-M10*1.0
TP-D*N	美制螺紋塞規 Unified Thread Plug Gauge	No.4~4"	UTP-1/2"*13UNC
TR-D*N	美制螺紋環規 Unified Thread Ring Gauge		UTR-1/2"*20UNF
TTP-D*N	NPT 推拔管螺紋塞規 NPT Taper Thread Plug Gauge	1/16"~6"	TTP-1"*11 1/2 NPT
TTR-D*N	NPT 推拔管螺紋環規 NPT Taper Thread Ring Gauge		TTR-1"*11 1/2 NPT
TTPF-D*N	NPTF 推拔管螺紋塞規 NPTF Taper Thread Plug Gauge	1 1/16"~4"	TTP-1"*11 1/2 NPTF
TTRF-D*N	NPTF 推拔管螺紋環規 NPTF Taper Thread Ring Gauge		TTR-1"*11 1/2 NPTF

I.S 推拔螺紋規 I.S Taper Thread Gauge (B.S.P.T)

B.S 機車螺紋規 B.S Cycle Thread Gauge

B.S.P/B.S.P.F 螺紋規 B.S.P/B.S.P.F Thread Gauge

BSW/BSF 螺紋規 BSW/BSF Thread Gauge

B.A 英國國協螺紋規 British Association Thread Gauge

◇ 標準塊規(整組) Gauge Block (Sets)

型號 Model No.	規格 Specification (mm)	間隔 Step (mm)	塊數 pcs	等級 Grade	價格 Price (NT\$)	
 <p>GB-908S</p>	GB-9112-0	1.0005	0.0005	1	0	63,500
	GB-9112-1	1.001-1.009 1.01-1.49	0.001 0.01	9 49	1	35,400
	GB-9112-2	0.5-24.5 25-100	0.5 25	49 4		
 <p>GB-9038</p>	GB-9103-0	1.005	0.005	1	0	59,000
	GB-9103-1	1.01-1.49 0.5-24.5	0.01 0.5	49 49	1	32,600
	GB-9103-2	25-100	25	4		
 <p>GB-908M</p>	GB-9087-0	1.001-1.009	0.001	9	0	43,200
	GB-9087-1	1.01-1.49 0.5-9.5	0.01 0.5	49 19	1	25,600
	GB-9087-2	10-100	10	10		
 <p>GB-9020</p>	GB-9047-0	1.005	0.005	1	0	32,500
	GB-9047-1	1.01-1.09 1.1-1.9	0.01 0.1	9 9	1	19,000
	GB-9047-2	1-24 25-100	1 25	24 4		
 <p>GB-905L</p>	GB-9038-0	1.005	0.005	1	0	32,200
	GB-9038-1	1.01-1.09 1.1-1.9	0.01 0.1	9 9	1	16,600
	GB-9038-2	1-9 10-100	1 10	9 10		
 <p>GB-9010</p>	GB-9020-0	5-100	5	20	0	64,000
	GB-9020-1			1	1	43,300
	GB-9020-2			2	2	
 <p>GB-9009</p>	GB-9012-0	2.5-12.9	2.6	5	0	30,600
	GB-9012-1	15-22.8	2.6	4	1	17,600
	GB-9012-2	25-75	25	3	2	
 <p>GB-9009</p>	GB-9010-0	1.0-1.5	0.25	3	0	19,100
	GB-9010-1	2.0-3.0	1	2	1	9,500
	GB-9010-2	5.0-25.0	5	5	2	
 <p>GB-9009</p>	GB-9009-0	1.001-1.009	0.001	9	0	12,600
	GB-9009-1			1	1	6,300
	GB-9009-2			2	2	
 <p>GB-9009</p>	GB-908S-0	25 50 75 100	25	8	0	62,200
	GB-908S-1	125 150 175 200		1	40,000	
	GB-908S-2			2		
 <p>GB-9009</p>	GB-908M-0	125 150 175 200	25 50/100	8	0	82,500
	GB-908M-1	250 300 400 500		1	50,000	
	GB-908M-2			2		
 <p>GB-9009</p>	GB-905L-0	600 700 800 900	100	5	0	280,000
	GB-905L-1	1000		1	184,000	
	GB-905L-2			2		

DIN 861/ISO 3650

Nominal length range mm		Permissible tolerances and variances (µm)												
		Grades 00 and K			Grade 0			Grade 1			Grade 2			
Over	Up to (including)	Tolerance on nominal length at all points		Permissible length variation	Max. deviation from flatness	Tolerance on nominal length at all points		Permissible length variation	Max. deviation from flatness	Tolerance on nominal length at all points		Permissible length variation	Max. deviation from flatness	
		00	K			00	K			00	K			
-	10	±0.06	±0.20	0.05	0.05	±0.12	0.10	0.10	±0.20	0.16	0.15	±0.45	0.30	0.25
10	25	±0.07	±0.30	0.05	0.05	±0.14	0.10	0.10	±0.30	0.16	0.15	±0.60	0.30	0.25
25	50	±0.10	±0.40	0.06	0.05	±0.20	0.10	0.10	±0.40	0.18	0.15	±0.80	0.30	0.25
50	75	±0.12	±0.50	0.06	0.05	±0.25	0.12	0.10	±0.50	0.18	0.15	±1.00	0.35	0.25
75	100	±0.14	±0.60	0.07	0.05	±0.30	0.12	0.10	±0.60	0.20	0.15	±1.20	0.35	0.25
100	150	—	±0.80	0.08	0.05	±0.40	0.14	0.10	±0.80	0.20	0.15	±1.60	0.40	0.25
150	200	—	±1.00	0.09	0.10	±0.50	0.16	0.15	±1.00	0.25	0.18	±2.00	0.40	0.25
200	250	—	±1.20	0.10	0.10	±0.60	0.16	0.15	±1.20	0.25	0.18	±2.40	0.45	0.25
250	300	—	±1.40	0.10	0.10	±0.70	0.18	0.15	±1.40	0.25	0.18	±2.80	0.50	0.25
300	400	—	±1.80	0.12	0.10	±0.90	0.20	0.15	±1.80	0.30	0.18	±3.60	0.50	0.25
400	500	—	±2.20	0.14	0.10	±1.10	0.25	0.15	±2.20	0.35	0.18	±4.40	0.60	0.25
500	600	—	±2.60	0.16	0.15	±1.30	0.25	0.18	±2.60	0.40	0.20	±5.00	0.70	0.25
600	700	—	±3.00	0.18	0.15	±1.50	0.30	0.18	±3.00	0.45	0.20	±6.00	0.70	0.25
700	800	—	±3.40	0.20	0.15	±1.70	0.30	0.18	±3.40	0.50	0.20	±6.50	0.80	0.25
800	900	—	±3.80	0.20	0.15	±1.90	0.35	0.18	±3.80	0.50	0.20	±7.50	0.90	0.25
900	1000	—	±4.20	0.25	0.15	±2.00	0.40	0.18	±4.20	0.60	0.20	±8.00	1.00	0.25

◇ 標準塊規(整組/英吋) Gauge Block (Sets/Inch)

ASME B89.1.9 -2002



型號 Model No.	規格 Specification (inch)	間隔 Step (inch)	塊數 pcs	等級 Grade	價格 Price (NT\$)
GB-9081I-0	0.05" 0.100"	---	1 1	0	59,200
GB-9081I-1	0.1001"-0.1009" 0.101"-0.150"	0.0001" 0.001"	9 50	1	46,400
GB-9081I-2	0.200"-0.950" 1.000"-4.000"	0.05" 1.000"	16 4	2	30,600
GB-9036I-0	0.05" 0.100"	---	1 1	0	28,300
GB-9036I-1	0.1001"-0.1009" 0.101"-0.110" 0.120"-0.200"	0.0001" 0.001" 0.01"	9 10 9	1	19,300
GB-9036I-2	0.300"-0.500" 1.000"-2.000" 4.000"	0.100" 1.000" ---	3 2 1	2	14,200
GB-9009I-0		0.0625" 0.100" 0.125"		0	15,500
GB-9009I-1		0.200" 0.250" 0.300" 0.500" 1.000" 2.000"		1	7,800
GB-9009I-2				2	5,200

◇ 標準塊規(單片) Gauge Block (Individual)

型號 Model No.	規格 Specification	等級 Grade	價格 Price (NT\$)	型號 Model No.	規格 Specification	等級 Grade	價格 Price (NT\$)
GB-0.2-0	0.2mm	0	7,400	GB-1.2-0	1.2mm	0	1,300
GB-0.2-1	0.2mm	1	5,900	GB-1.2-1	1.2mm	1	900
GB-0.3-0	0.3mm	0	7,400	GB-1.3-0	1.3mm	0	1,300
GB-0.3-1	0.3mm	1	5,900	GB-1.3-1	1.3mm	1	900
GB-0.4-0	0.4mm	0	7,400	GB-1.4-0	1.4mm	0	1,300
GB-0.4-1	0.4mm	1	5,900	GB-1.4-1	1.4mm	1	900
GB-0.5-0	0.5mm	0	2,100	GB-1.5-0	1.5mm	0	1,300
GB-0.5-1	0.5mm	1	1,400	GB-1.5-1	1.5mm	1	900
GB-0.6-0	0.6mm	0	2,200	GB-1.6-0	1.6mm	0	1,300
GB-0.6-1	0.6mm	1	1,800	GB-1.6-1	1.6mm	1	900
GB-0.7-0	0.7mm	0	2,200	GB-1.7-0	1.7mm	0	1,300
GB-0.7-1	0.7mm	1	1,800	GB-1.7-1	1.7mm	1	900
GB-0.8-0	0.8mm	0	2,200	GB-1.8-0	1.8mm	0	1,300
GB-0.8-1	0.8mm	1	1,800	GB-1.8-1	1.8mm	1	900
GB-0.9-0	0.9mm	0	2,200	GB-1.9-0	1.9mm	0	1,300
GB-0.9-1	0.9mm	1	1,800	GB-1.9-1	1.9mm	1	900
GB-1.0-0	1.0mm	0	1,500	GB-2.0-0	2.0mm	0	1,300
GB-1.0-1	1.0mm	1	1,000	GB-2.0-1	2.0mm	1	900
GB-1.01-0	1.01mm	0	1,300	GB-2.5-0	2.5mm	0	1,300
GB-1.01-1	1.01mm	1	900	GB-2.5-1	2.5mm	1	900
GB-1.02-0	1.02mm	0	1,300	GB-3.0-0	3.0mm	0	1,300
GB-1.02-1	1.02mm	1	900	GB-3.0-1	3.0mm	1	900
GB-1.03-0	1.03mm	0	1,300	GB-3.5-0	3.5mm	0	1,300
GB-1.03-1	1.03mm	1	900	GB-3.5-1	3.5mm	1	900
GB-1.04-0	1.04mm	0	1,300	GB-4.0-0	4.0mm	0	1,300
GB-1.04-1	1.04mm	1	900	GB-4.0-1	4.0mm	1	900
GB-1.05-0	1.05mm	0	1,300	GB-4.5-0	4.5mm	0	1,300
GB-1.05-1	1.05mm	1	900	GB-4.5-1	4.5mm	1	900
GB-1.06-0	1.06mm	0	1,300	GB-5.0-0	5.0mm	0	1,300
GB-1.06-1	1.06mm	1	900	GB-5.0-1	5.0mm	1	900
GB-1.07-0	1.07mm	0	1,300	GB-5.5-0	5.5mm	0	1,300
GB-1.07-1	1.07mm	1	900	GB-5.5-1	5.5mm	1	900
GB-1.08-0	1.08mm	0	1,300	GB-6.0-0	6.0mm	0	1,300
GB-1.08-1	1.08mm	1	900	GB-6.0-1	6.0mm	1	900
GB-1.09-0	1.09mm	0	1,300	GB-6.5-0	6.5mm	0	1,300
GB-1.09-1	1.09mm	1	900	GB-6.5-1	6.5mm	1	900
GB-1.1-0	1.1mm	0	1,300	GB-7.0-0	7.0mm	0	1,300
GB-1.1-1	1.1mm	1	900	GB-7.0-1	7.0mm	1	900
GB-1.11-0	1.11mm	0	1,300	GB-7.5-0	7.5mm	0	1,300
GB-1.11-1	1.11mm	1	900	GB-7.5-1	7.5mm	1	900
GB-1.12-0	1.12mm	0	1,300	GB-8.0-0	8.0mm	0	1,300
GB-1.12-1	1.12mm	1	900	GB-8.0-1	8.0mm	1	900
GB-1.13-0	1.13mm	0	1,300	GB-8.5-0	8.5mm	0	1,300
GB-1.13-1	1.13mm	1	900	GB-8.5-1	8.5mm	1	900
GB-1.14-0	1.14mm	0	1,300	GB-9.0-0	9.0mm	0	1,300
GB-1.14-1	1.14mm	1	900	GB-9.0-1	9.0mm	1	900
GB-1.15-0	1.15mm	0	1,300	GB-9.5-0	9.5mm	0	1,300
GB-1.15-1	1.15mm	1	900	GB-9.5-1	9.5mm	1	900
GB-1.16-0	1.16mm	0	1,300	GB-10.0-0	10.0mm	0	1,500
GB-1.16-1	1.16mm	1	900	GB-10.0-1	10.0mm	1	1,000
GB-1.17-0	1.17mm	0	1,300	GB-10.5-0	10.5mm	0	1,500
GB-1.17-1	1.17mm	1	900	GB-10.5-1	10.5mm	1	1,000
GB-1.18-0	1.18mm	0	1,300	GB-11.0-0	11.0mm	0	1,500
GB-1.18-1	1.18mm	1	900	GB-11.0-1	11.0mm	1	1,000
GB-1.19-0	1.19mm	0	1,300	GB-11.5-0	11.5mm	0	1,500
GB-1.19-1	1.19mm	1	900	GB-11.5-1	11.5mm	1	1,000

◇ 標準塊規(單片) Gauge Block (Individual)

型號 Model No.	規格 Specification	等級 Grade	價格 Price (NT\$)	型號 Model No.	規格 Specification	等級 Grade	價格 Price (NT\$)
GB-12.0-0		0	1,500	GB-30.0-0		0	1,800
GB-12.0-1	12.0mm	1	1,000	GB-30.0-1	30.0mm	1	1,300
GB-12.5-0		0	1,500	GB-35.0-0		0	3,200
GB-12.5-1	12.5mm	1	1,000	GB-35.0-1	35.0mm	1	2,200
GB-13.0-0		0	1,500	GB-40.0-0		0	1,800
GB-13.0-1	13.0mm	1	1,000	GB-40.0-1	40.0mm	1	1,300
GB-13.5-0		0	1,500	GB-45.0-0		0	3,200
GB-13.5-1	13.5mm	1	1,000	GB-45.0-1	45.0mm	1	2,200
GB-14.0-0		0	1,500	GB-50.0-0		0	2,000
GB-14.0-1	14.0mm	1	1,000	GB-50.0-1	50.0mm	1	1,400
GB-14.5-0		0	1,500	GB-60.0-0		0	2,000
GB-14.5-1	14.5mm	1	1,000	GB-60.0-1	60.0mm	1	1,400
GB-15.0-0		0	1,500	GB-65.0-0		0	3,600
GB-15.0-1	15.0mm	1	1,000	GB-65.0-1	65.0mm	1	2,400
GB-15.5-0		0	1,500	GB-70.0-0		0	2,000
GB-15.5-1	15.5mm	1	1,000	GB-70.0-1	70.0mm	1	1,400
GB-16.0-0		0	1,500	GB-75.0-0		0	3,000
GB-16.0-1	16.0mm	1	1,000	GB-75.0-1	75.0mm	1	2,000
GB-16.5-0		0	1,500	GB-80.0-0		0	3,000
GB-16.5-1	16.5mm	1	1,000	GB-80.0-1	80.0mm	1	2,000
GB-17.0-0		0	1,500	GB-85.0-0		0	4,400
GB-17.0-1	17.0mm	1	1,000	GB-85.0-1	85.0mm	1	3,000
GB-17.5-0		0	1,500	GB-90.0-0		0	3,000
GB-17.5-1	17.5mm	1	1,000	GB-90.0-1	90.0mm	1	2,000
GB-18.0-0		0	1,500	GB-95.0-0		0	4,400
GB-18.0-1	18.0mm	1	1,000	GB-95.0-1	95.0mm	1	3,000
GB-18.5-0		0	1,500	GB-100.0-0		0	3,000
GB-18.5-1	18.5mm	1	1,000	GB-100.0-1	100.0mm	1	2,000
GB-19.0-0		0	1,500	GB-125.0-0		0	12,600
GB-19.0-1	19.0mm	1	1,000	GB-125.0-1	125.0mm	1	6,400
GB-19.5-0		0	1,500	GB-150.0-0		0	14,000
GB-19.5-1	19.5mm	1	1,000	GB-150.0-1	150.0mm	1	7,200
GB-20.0-0		0	1,500	GB-175.0-0		0	15,000
GB-20.0-1	20.0mm	1	1,000	GB-175.0-1	175.0mm	1	7,600
GB-20.5-0		0	1,500	GB-200.0-0		0	16,200
GB-20.5-1	20.5mm	1	1,000	GB-200.0-1	200.0mm	1	8,200
GB-21.0-0		0	1,500	GB-250.0-0		0	17,500
GB-21.0-1	21.0mm	1	1,000	GB-250.0-1	250.0mm	1	9,000
GB-21.5-0		0	1,500	GB-300.0-0		0	18,800
GB-21.5-1	21.5mm	1	1,000	GB-300.0-1	300.0mm	1	9,500
GB-22.0-0		0	1,500	GB-400.0-0		0	20,000
GB-22.0-1	22.0mm	1	1,000	GB-400.0-1	400.0mm	1	10,600
GB-22.5-0		0	1,500	GB-500.0-0		0	21,000
GB-22.5-1	22.5mm	1	1,000	GB-500.0-1	500.0mm	1	12,000
GB-23.0-0		0	1,500	GB-600.0-0		0	42,000
GB-23.0-1	23.0mm	1	1,000	GB-600.0-1	600.0mm	1	29,000
GB-23.5-0		0	1,500	GB-700.0-0		0	48,000
GB-23.5-1	23.5mm	1	1,000	GB-700.0-1	700.0mm	1	32,000
GB-24.0-0		0	1,500	GB-800.0-0		0	55,000
GB-24.0-1	24.0mm	1	1,000	GB-800.0-1	800.0mm	1	36,000
GB-24.5-0		0	1,500	GB-900.0-0		0	64,000
GB-24.5-1	24.5mm	1	1,000	GB-900.0-1	900.0mm	1	41,000
GB-25.0-0		0	1,800	GB-1000.0-0		0	72,000
GB-25.0-1	25.0mm	1	1,300	GB-1000.0-1	1000.0mm	1	47,000

◇ 角度量規 Angle Block



型號 Model No.	規格 Specification (mm)	間隔 Step (mm)	塊數 pcs	精度 Accuracy	價格 Price (NT\$)	備註 Remark
AB-9036	15° 1'; 15° 2'.....15° 9' 15° 10'; 15° 20'...15° 50' 10° 11'20° 30° ;40°70° 10° 0'30" 45° 80° -80° -100° -99° 89° 10' - 89° 20' - 90° 50' - 90° 40' 89° 30' - 89° 40' - 90° 30' - 90° 20' 90° - 90° - 90° - 90°	1' 10' 1° 10°	9 5 11 5 1 1 1 1 1 1	±10"	60,000	角度標準，檢驗工件角度、校正萬能角度規和各式角度量具 For angle standard, checking angles of parts, calibrate universal bevel protractors & all kinds of angles measuring gages.
AB-9012	0.25° , 0.5° , 1° , 2° 3° , 4° , 5° , 10° 15° , 20° , 25° , 30°		12	±20"	38,000	
AB-9007	15° 10'; 30° 20' 45° 30'; 50° 60° 40'; 75° 50'; 90°		7	±10"	14,000	
AB-9002	45° - 90° - 45° 60° - 90° - 30°		2	±20"	12,600	

◇ 空氣量規主機(指針式) Dial Type Air Gauge Unit



型號 Model No.	量測範圍 Measuring Range	最小讀數 Graduation	價格 Price (NT\$)
AG-9001	±0.010mm	0.00025mm	178,000
AG-9002	±0.020mm	0.0005mm	156,000
AG-9004	±0.040mm	0.001mm	128,000

備註 Remark: 附油/水過濾器裝置、氣壓調節器 With Oil/Moisture Removal Unit & Regulator

◇ 空氣塞規(二噴射孔) Air Plug Gauge (2 Jet)



型號 Model No.	規格 Specification	價格 Price (NT\$)	型號 Model No.	規格 Specification	價格 Price (NT\$)
AP-9004-6T	Within 4-6mm	9,400	AP-9110-120T	Within 110-120mm	18,400
AP-9004-6B		10,200	AP-9110-120B		19,800
AP-9004-6SB		11,200	AP-9110-120SB		21,800
AP-9006-10T	Within 6-10mm	7,300	AP-9120-130T	Within 120-130mm	22,700
AP-9006-10B		8,000	AP-9120-130B		25,500
AP-9006-10SB		8,800	AP-9120-130SB		28,000
AP-9010-20T	Within 10-20mm	7,700	AP-9130-140T	Within 130-140mm	28,400
AP-9010-20B		8,200	AP-9130-140B		31,200
AP-9010-20SB		9,000	AP-9130-140SB		34,400
AP-9020-40T	Within 20-40mm	7,800	AP-9140-150T	Within 140-150mm	36,100
AP-9020-40B		8,400	AP-9140-150B		39,000
AP-9020-40SB		9,300	AP-9140-150SB		43,000
AP-9040-60T	Within 40-60mm	9,100	AP-9150-160T	Within 150-160mm	43,200
AP-9040-60B		10,000	AP-9150-160B		47,500
AP-9040-60SB		11,000	AP-9150-160SB		52,300
AP-9060-80T	Within 60-80mm	14,000	AP-9160-170T	Within 160-170mm	50,300
AP-9060-80B		15,600	AP-9160-170B		56,000
AP-9060-80SB		17,200	AP-9160-170SB		61,600
AP-9080-90T	Within 80-90mm	14,900	AP-9170-180T	Within 170-180mm	58,000
AP-9080-90B		16,300	AP-9170-180B		63,800
AP-9080-90SB		18,000	AP-9170-180SB		70,200
AP-9090-100T	Within 90-100mm	15,600	AP-9180-190T	Within 180-190mm	65,900
AP-9090-100B		17,000	AP-9180-190B		72,200
AP-9090-100SB		18,700	AP-9180-190SB		79,500
AP-9100-110T	Within 100-110mm	16,300	AP-9190-200T	Within 190-200mm	73,600
AP-9100-110B		17,700	AP-9190-200B		81,000
AP-9100-110SB		19,500	AP-9190-200SB		89,000

T 型：通孔 T Type: Through Bore A=8mm

B 型：盲孔/階梯孔 B Type: Blind/Step Bore A=4.5mm

SB 型：超盲孔/超階梯孔 SB Type: Super Blind/Step Bore A=2.5mm

深孔量測，可加裝延長桿（依要求製作）Extension Rod (on request)

◇ 設定環規(空氣塞規用) Setting Ring Gauge (For Air Plug Gauge)

型號 Model No.	規格 Specification	價格 Price (NT\$)
SR-9004-6	Within 4-6mm	11,000
SR-9006-10	Within 6-10mm	8,000
SR-9010-20	Within 10-20mm	9,600
SR-9020-40	Within 20-40mm	9,900
SR-9040-60	Within 40-60mm	12,500
SR-9060-80	Within 60-80mm	16,700
SR-9080-90	Within 80-90mm	21,600
SR-9090-100	Within 90-100mm	21,600
SR-9100-110	Within 100-110mm	34,000

環規 通/不通 2 個/組

Setting Ring Gauge Go/No Go 2pcs/pair

型號 Model No.	規格 Specification	價格 Price (NT\$)
SR-9110-120	Within 110-120mm	34,000
SR-9120-130	Within 120-130mm	42,500
SR-9130-140	Within 130-140mm	42,500
SR-9140-150	Within 140-150mm	49,600
SR-9150-160	Within 150-160mm	61,000
SR-9160-170	Within 160-170mm	72,200
SR-9170-180	Within 170-180mm	78,000
SR-9180-190	Within 180-190mm	86,400
SR-9190-200	Within 190-200mm	92,000

環規 通/不通 2 個/組

Setting Ring Gauge Go/No Go 2pcs/pair

◇ 空氣環規(二噴射孔) Air Ring Gauge (2 Jet)

型號 Model No.	規格 Specification	價格 Price (NT\$)	備註 Remark
AR-9004-6M	Within 4-6mm	32,600	M 型：中間噴射孔， M Type: Middle Jet A=½Tmm C 型：邊緣噴射孔， C Type: Corner Jet A=5mm SC 型：超邊緣噴射孔 SC Type: Super Corner Jet A=2.5mm
AR-9004-6C		39,000	
AR-9004-6SC		43,000	
AR-9006-10M	Within 6-10mm	25,500	
AR-9006-10C		31,200	
AR-9006-10SC		34,300	
AR-9010-25M	Within 10-25mm	19,800	
AR-9010-25C		24,000	
AR-9010-25SC		26,400	
AR-9025-40M	Within 25-40mm	19,800	
AR-9025-40C		24,000	
AR-9025-40SC		26,400	
AR-9040-60M	Within 40-60mm	22,700	
AR-9040-60C		27,000	
AR-9040-60SC		29,700	
AR-9060-80M	Within 60-80mm	33,300	
AR-9060-80C		40,400	
AR-9060-80SC		44,400	
AR-9080-90M	Within 80-90mm	43,200	
AR-9080-90C		46,000	
AR-9080-90SC		50,600	
AR-9090-100M	Within 90-100mm	49,600	
AR-9090-100C		58,000	
AR-9090-100SC		63,800	



◇ 設定塞規(空氣環規用) Setting Plug Gauge (For Air Ring Gauge)

型號 Model No.	規格 Specification	價格 Price (NT\$)	型號 Model No.	規格 Specification	價格 Price (NT\$)
SP-9004-6	Within 4-6mm	5,000	SP-9040-60	Within 40-60mm	4,800
SP-9006-10	Within 6-10mm	4,000	SP-9060-80	Within 60-80mm	6,000
SP-9010-25	Within 10-25mm	4,600	SP-9080-90	Within 80-90mm	7,700
SP-9025-40	Within 25-40mm	4,600	SP-9090-100	Within 90-100mm	8,200

塞規 通/不通 2 端/支

Setting Plug Gauge Go/No Go 2end/pc

塞規 通/不通 2 端/支

Setting Plug Gauge Go/No Go 2end/pc

◇ 空氣卡規(二噴射孔)

Air Snap Gauge (2 Jet)

型號 Model No.	規格 Specification	價格 Price (NT\$)
AS-9010-25M	Within 10-25mm	36,100
AS-9010-25C		44,000
AS-9025-40M	Within 25-40mm	40,400
AS-9025-40C		46,700
AS-9040-60M	Within 40-60mm	41,000
AS-9040-60C		46,700
AS-9060-80M	Within 60-80mm	69,400
AS-9060-80C		80,700
AS-9080-100M	Within 80-100mm	88,500
AS-9080-100C		104,000
AS-9100-120M	Within 100-120mm	98,000
AS-9100-120C		119,000
AS-9120-140M	Within 120-140mm	111,200
AS-9120-140C		129,600
AS-9140-160M	Within 140-160mm	111,200
AS-9140-160C		133,000

M 型：中間噴射孔
M Type: Middle Jet A: 1/2 Tmm
C 型：邊緣噴射孔 C Type: Corner Jet A: 5mm



◇ 設定規(空氣卡規用)


Setting Masters (For Air Snap Gauge)

型號 Model No.	規格 Specification	價格 Price (NT\$)
SM-9010-25	Within 10-25mm	5,700
SM-9025-40	Within 25-40mm	6,500
SM-9040-60	Within 60-60mm	6,700
SM-9060-80	Within 60-80mm	8,400
SM-9080-100	Within 80-100mm	10,000
SM-90100-120	Within 100-120mm	12,300
SM-90120-140	Within 120-140mm	14,000
SM-90140-160	Within 140-160mm	14,900

設定規 通/不通 2 個/組

Setting Masters Go/No Go 2pcs/Pair


◇ 刀口角尺 **Bevel Edge Squares**

	型號	規格	等級	價格	備註
	Model No.	Specification	Grade	Price (NT\$)	Remark
	SQ-9000B	50*32mm	DIN 875/0	1,300	材質：不銹鋼 Material: Stainless Steel
	SQ-9001B	63*40mm	DIN 875/0	1,400	
	SQ-9002B	80*50mm	DIN 875/0	1,600	
	SQ-9003B	100*63mm	DIN 875/0	1,700	
	SQ-9004B	125*80mm	DIN 875/0	2,100	
	SQ-9005B	160*100mm	DIN 875/0	2,400	
	SQ-9006B	200*125mm	DIN 875/0	3,200	

◇ 寬座角尺 **Wide Base Squares**

	型號	規格	等級	價格	備註
	Model No.	Specification	Grade	Price (NT\$)	Remark
	SQ-9001W	63*40mm	DIN 875/1	1,200	材質：不銹鋼 Material: Stainless Steel
	SQ-9002W	80*50mm	DIN 875/1	1,300	
	SQ-9003W	100*63mm	DIN 875/1	1,400	
	SQ-9004W	125*80mm	DIN 875/1	1,600	
	SQ-9005W	160*100mm	DIN 875/1	2,000	
	SQ-9006W	200*125mm	DIN 875/1	2,400	
	SQ-9007W	250*165mm	DIN 875/1	3,000	
	SQ-9008W	315*200mm	DIN 875/1	3,600	
	SQ-9009W	400*250mm	DIN 875/1	5,400	
	SQ-9010W	500*315mm	DIN 875/1	7,600	
	SQ-9011W	630*400mm	DIN 875/1	13,000	
	SQ-9012W	800*500mm	DIN 875/1	34,000	
	SQ-9013W	1000*600mm	DIN 875/1	65,000	

◇ T 型伸縮規 **Telescoping Gauge**

	型號	量測範圍	深度	價格
	Model No.	Measuring Range	Depth	Price (NT\$)
	TG-9001	8-12.7mm	102mm	1,000
	TG-9002	12.7-19mm	102mm	1,000
	TG-9003	19-32mm	102mm	1,200
	TG-9004	32-54mm	127mm	1,200
	TG-9005	54-90mm	127mm	1,400
	TG-9006	90-150mm	127mm	1,400
	TG-9000S	整組 8-150mm(Sets)		4,000

使用比較量測方式測量工件內徑或內鍵槽尺寸、量測結果再用外徑測微器量取讀數

Measuring internal dia or internal through-groove of the workpiece by comparative method, Reading can be show on the outside micrometer

